Changes in customer data (9)

- Since the customer data values change between deliveries, the changes are historized in the satellite-table
- From the satellite, we can see the change in data between deliveries
 - Metadata columns dv_load_time and dv_run_id can be used to track when the data was loaded to the satellite

| ~ | ✓ Just now (1s) | | 23 | | | | SQL | ♦ | 53 | ÷ |
|----------|---|-------------------------------------|--|---|---|---|--|--------|-----|---|
| 1 | From satellite table, we ca | n check all periods | and see how data changes | between the per | iods. | | | | | |
| 2 | select | | | | | | | | | |
| 3 | dv_id, | | | | | | | | | |
| 4 | dv_load_time, | | | | | | | | | |
| 5 | dv_datahash, | | | | | | | | | |
| 6 | dv_run_id, | | | | | | | | | |
| 7 | vorname, | | | | | | | | | |
| 8 | geschlecht, | | | | | | | | | |
| | | | | | | | | | | |
| 9 | email | | | | | | | | | |
| 10 | <pre>from ddvug_rdv.s_customer wher</pre> | e kundeid = 107 | | | | | | | | |
| 10 | | e kundeid = 107 | | | | | | | | |
| 10 11 | <pre>from ddvug_rdv.s_customer wher</pre> | re kundeid = 107 | | | | | | | | |
| 10 11 | from ddvug_rdv.s_customer wher order by dv_run_id asc; See performance (1) | | 8 | 2 | 8 | 8 | Q |) 7 | 7 🗉 | 2 |
| 10 11 | <pre>from ddvug_rdv.s_customer wher order by dv_run_id asc; See performance (1)</pre> | re kundeid = 107 tö dv_load_time | ≜c dv_datahash | i²₃ dv_run_id | $\mathbb{A}^{B}_{\mathbb{C}} \text{ vorname}$ | ^B _C geschlecht | A ^B c email | ک ک | 7 🗉 |] |
| 10 11 | from ddvug_rdv.s_customer wher order by dv_run_id asc; See performance (1) | | a ^B c dv_datahash > 2b21a576eb94fdcf535c | ± ² ₃ dv_run_id 1723616341038 | A ⁸ c vorname Waltraud | a ^B _c geschlecht w | | | 7 |] |
| 10 11 | from ddvug_rdv.s_customer when order by dv_run_id asc; See performance (1) | iö dv_load_time | | | | | ^{a^B_c email} | no | 7 🗉 |] |

